



MODEL SPECIFICATIONS

MECHANICAL

MODEL NUMBER(S): 28-331A-XXF-XXR*-6-6

*SUBSTITUTE WITH DESIRED COUPLING VALUE (dB)

MATERIAL: 6061/T-6 ALUM.
 BODY: STAINLESS STEEL
 CONNECTORS: UNIQUE CORROSION RESISTANT 316 STAINLESS
 FINISH: STEEL EPOXY COATING
 FLANGES: WR28 COVER TYPE IS STD., EQUIV. TO UG 599/U

THIRD ANGLE PROJECTION:		APPROVALS	DATE	ADVANCED TECHNICAL MATERIALS, INC. TEL: (631) 289-0363 FAX: (631) 289-0358 www.atmmicrowave.com		<small>THE INFORMATION IN THIS DRAWING IS PROPRIETARY AND SHALL NOT BE USED OR DISCLOSED WITHOUT THE PRIOR WRITTEN CONSENT OF ATM, INC. DO NOT SCALE DWG.</small>			
UNLESS OTHERWISE NOTED, DIMENSIONS ARE IN INCHES, TOLERANCES ARE: FRACTIONS: ±1/64 ANGLES: ±1/2° MACHINED FINISH 63 ✓ OR BETTER		DRAWN M.R.	08/06/14	<h2 style="text-align: center;">OUTLINE</h2> <h3 style="text-align: center;">DUAL DIRECTIONAL SLHD COUPLER</h3>		SIZE A	CAGE CODE OR8N4	ATM DWG # 16247	REVISION A
		CHKD.				SCALE 1 : 1	MODEL # SEE SPECS	SHEET 1/1	
		APRVD.							
		MATERIAL SEE SPECS							
		TREATMENT CHEM FILM							
		FINISH SEE SPECS							
DECIMALS 2 PLACE	3 PLACE								
±.01	±.005								