

.66

NOTES:

MECHANICAL:

MODEL NUMBER (S): 28-770-X

MATERIAL: ALUMINUM ALLOY TYPE 6061-T6

INPUT FLANGE

WR28 COVER

FINISH: CHEMICAL FILM

ELECTRICAL:

FREQ RANG: 26.5-40.0 GHz **POWER: 700 WATTS**

PRESSURE TEST: 30 P.S.I.

MODEL NO	QTY	NEXT ASSY	THIRD ANGLE PROJECTION:	⊕ ===	APPROVA	ALS	DATE		ATAA		HNICAL MATERIALS, INC.	THE INFORMATION IN THIS DRAWING IS PROPRIETARY AND SHALL NOT BE USED OR
				ERWISE NOTED, ARE IN INCHES, NCES ARE: 54 ANGLES: ±1/2°	DRAWN BF 2-27-		2-27-12		TEL: (631) 289-0363 FAX: (631) 289-0358 TEL: (631) 289-0363 FAX: (631) 289-0358 WWW.atmmicrowave.com ON ON SCALE DWG.			
			_		CHKD.				OUTLINE, WR28			
			DECIMALS 2 PLACE 3 PLACE		APRVD.			WATER COOLED TERMINATION				
			±.01	±.005	MATERIAL							
			MACHINED	FINISH	TREATMENT SEE	ATMENT SEE NOTES		SIZE A	0R8N4	AIM DWG#	13715	REVISION B
			63 √ OR E	BETTER	FINISH SEE NOTES			MODEL# SEE NOTE				SHEE 1 OF
2				Δ					1			

A

1/8 NPT INLET/ OUTLET

FITTINGS PROVIDED

PORT, 2 PL

BARBED HOSE