



REV A	AUTH R.L.	DATE 03/29/01	INITIAL RELEASE
REV B	AUTH R.L.	DATE 02/16/02	UPDATED TITLE BLOCK, ADDED PROJECTED FRONT VIEW.
REV C	AUTH R.L.	DATE 01/06/03	LENGTH 24.63 WAS: 24.38
REV D	AUTH M.R.	DATE 02/18/16	MODEL NUMBER TYPO CORRECTED, PER E.C.N. 02-18-16-01. FORMAT UPDATE



**SPECIFICATIONS:**

MODEL NUMBER: 75/187-760-FLANGE TYPE\*\*  
 FREQUENCY: 10.0-15.0 GHz  
 POWER: 3500 WATTS CW  
 WSWR: 1.15 MAX.

<b>**ATM MODEL# DESIGNATION FOR COMMON FLANGES</b>	
1	= CPRG
2	= CPRF
6	= UG COVER
7	= UG CHOKE
8	= SPECIAL

THIRD ANGLE PROJECTION:		APPROVALS	DATE	<b>ADVANCED TECHNICAL MATERIALS, INC.</b> TEL: (631) 289-0363 FAX: (631) 289-0358 www.atmmicrowave.com		<small>THE INFORMATION IN THIS DRAWING IS PROPRIETARY AND SHALL NOT BE USED OR DISCLOSED WITHOUT THE PRIOR WRITTEN CONSENT OF AT&amp;M, INC. DO NOT SCALE DWG.</small>	
UNLESS OTHERWISE NOTED, DIMENSIONS ARE IN INCHES, TOLERANCES ARE: FRACTIONS: ±1/64 ANGLES: ±1/2° MACHINED FINISH 63 ✓ OR BETTER		DRAWN R.L.	03/29/01	<b>OUTLINE</b> <b>WR75 VERY HIGH POWER TERMINATION</b>			
DECIMALS 2 PLACE 3 PLACE		CHKD.					
±.01 ±.005		APRVD.					
		MATERIAL ALUMINUM		SIZE A	CAGE CODE OR8N4	ATM DWG # 4195W	REVISION D
		TREATMENT CHEM FILM		SCALE 1 : 1	MODEL # SEE SPECS		SHEET 1/1
		FINISH HIGH TEMP BLACK					