



**PERFORMANCE SPECIFICATIONS**

MODEL NUMBER: 250-251-FLANGE TYPE\*  
 WG SIZE: WRD250  
 FREQ: 2.6 - 7.8 GHz  
 MAX. VSWR: 1.35  
 FLANGE TYPE: SEE TABLE BELOW

*DOUBLE RIDGE FLANGE TYPES		
DESIGNATION	TYPE	HOLE PATTERN
C1	COVER	ALL THRU/TAPPED
C2		ALL TAPPED
C3		ALL THROUGH
G1	GROOVE	ALL THRU/TAPPED
G2		ALL TAPPED
G3		ALL THROUGH

THIRD ANGLE PROJECTION:		APPROVALS	DATE	<b>ADVANCED TECHNICAL MATERIALS, INC.</b> TEL: (631) 289-0363 FAX: (631) 289-0358 www.atmmicrowave.com		<small>THE INFORMATION IN THIS DRAWING IS PROPRIETARY AND SHALL NOT BE USED OR DISCLOSED WITHOUT THE PRIOR WRITTEN CONSENT OF ATM, INC. DO NOT SCALE DWG.</small>	
UNLESS OTHERWISE NOTED, DIMENSIONS ARE IN INCHES, TOLERANCES ARE:  FRACTIONS: ±1/64 ANGLES: ±1/2°  MACHINED FINISH 63 ✓ OR BETTER		DRAWN M.R.	10/10/12				
		CHKD.					
		APRVD.					
		MATERIAL ALUM ALLOY BODY		SIZE A	CAGE CODE OR8N4	ATM DWG # 14310	REVISION A
		TREATMENT CHEM FILM		SCALE 1 : 1	MODEL # 250-251-XX		SHEET 1/1
		ATM STD GRAY					